


















Component	Description & Use	Colour Finish	Code
	<p><b>Thin lining sheet</b> Plain Colour or Wood grain finish matches composite panels 2440 x 1220 mm sheet 3 mm nominal thickness</p> <p><b>Use:</b> Wall and ceiling lining</p>	Glacier White Polygloss Satin White Chalk Cameo Modena Oak Hamilton Oak Coastal Elm	T204
	<p><b>White Acrylic thin sheet</b> 1220mm x 2000mm x 2mm <b>Use:</b> For shower wall lining.</p>	White Acrylic	
	<p><b>Shower door up to 650mm wide</b></p>	White or anodized alum Frame	






Component	Description & Use	Colour Finish	Code
	<p><b>Thin Sheet Jointer 4mm</b> 2.4 metre lengths rigid extrusion matching colour for Duralite® panel <b>Use:</b> Straight jointer between two 3.6mm thin wall / ceiling panels</p>	White Chalk	P567
	<p><b>Thin Sheet End Cap 4mm</b> 2.4 metre lengths rigid extrusion matching colour for Duralite® panel <b>Use:</b> Trim ming edges of 3mm thin sheet</p> <p><b>Thin Sheet Internal corner 4mm</b></p>	White Chalk	P268


	<p>2.4 metre lengths rigid extrusion matching colour for Duralite® panel Use: 90° jointer for thin sheet internal corner only</p>	<p>White  Chalk</p>	<p>P266</p>
---	---	-----------------------------	-------------




Component	Description & Use	Colour Finish	Code
	<p><b>Duralite® Composite Panel</b> Plain Colour or Wood grain Finish 1220 x 2440 mm sheet 19.8mm nominal thickness</p> <p><b>Use:</b> The construction panel for internal walls and cabinetry</p>	Glacier White Hamilton Oak Malone Oak Polygloss Satin White Coastal Elm	<b>D101</b>
	<p><b>Set A - Corner Base 90° Corner Jointer</b> 2.4 metre lengths rigid extrusion (requires P522 to complete set)</p> <p><b>Use:</b> Right Angle Connector for Duralite® Composite panels and décor trim</p>	Natural	<b>P467</b>
	<p><b>Set A - Décor Corner Trim</b> 2.4 metre lengths rigid extrusion matching colour for Duralite® panel (requires P467 to complete set)</p> <p><b>Use:</b> Cover cap for 90° corner jointer P467</p>	White Tan	<b>P522</b>
	<p><b>Composite Panel Jointer 45°</b> 2.4 metre lengths rigid extrusion matching colour for Duralite® panel</p> <p><b>Use:</b> 45° jointer between panels, external and internal corners.</p>	White Tan	<b>P545</b>
	<p><b>90° Overlay Corner</b> 2.4 metre lengths rigid extrusion matching colour for Duralite™ panel</p> <p><b>Use:</b> Forms an external 90° corner trim. Allows for one panel to be overlaying and one panel to butt at 90°</p>	White Tan	<b>P757</b>
	<p><b>Edge Cap Self Adhesive</b> 45 metre roll flexible extrusion matching colour for Duralite® panel Purchased per metre</p> <p><b>Use:</b> Flexible edge trimming for Duralite® Composite Panel D101. Trims openings and shaped edges</p>	White Tan	<b>P341</b>


Component	Description & Use	Colour Finish	Code
	<p><b>Ceiling - Base</b> 2.4 metre lengths rigid extrusion</p> <p><b>Use:</b> To connect Duralite® panels to ceiling or floor – see manual for each use.</p>	Natural	P469
	<p><b>Double Ceiling – Base</b></p>	Natural	P468
	<p><b>Décor Base Trim</b> 20 metre rolls flexible extrusion matching colour for Duralite® panel Purchased per metre</p> <p><b>Use:</b> Knock in cover for P469</p>	White Tan	P336
	<p><b>U Channel</b> 2.4 metre lengths rigid extrusion matching colour for Duralite® panel</p> <p><b>Use:</b> Rigid end finishing trim for Duralite® composite panel</p>	White Tan	P466
	<p><b>F Channel</b> 2.4 metre lengths rigid extrusion matching colour for Duralite® Composite Panel</p> <p><b>Use:</b> Rigid end cap with connector. Connecting panels to floor, walls and bench tops. Shelving edge.</p>	White Tan	P521
	<p><b>Composite Panel Jointer</b> 2.4 metre lengths rigid extrusion matching colour for Duralite® panel</p> <p><b>Use:</b> Straight jointer between two Duralite® composite panels</p>	White Tan	P558


Component	Description & Use	Colour Finish	Code
	<p><b>Edge Tape 24mm Glued</b></p> <p>50m roll glued 24mm tape. Colours matched to panels</p> <p><b>Use:</b> For edge banding Duralite™ Composite Panel D101</p> <p>24mm x 2mm – edgeband machine</p> <p>Also available <b>22mm x 1mm – iron on – all colours</b></p>	<p>White</p> <p>Tan</p>	PG725



Component	Description & Use	Colour Finish	Code
	<p><b>Screws: 6g 12mm</b> mushwas pozi drive self tapers (Packs per 200)</p> <p><b>Use:</b> Screws for attaching Duralite® components to walls, ceilings, catch plate, utility plate and Duralite® panels</p>	Zinc	S612
	<p><b>Screws: 6g x5/8 counter sunk pozi drive</b> (packs per 100)</p> <p><b>Use:</b> For push locks</p>	Zinc	S615
	<p><b>Screws: 8g 30mm</b> mushwas pozi drive self tapers (packs per 100)</p> <p><b>Use:</b> Screw for attaching catch block to Duralite® composite panels</p>	Zinc	S830
	<p><b>Screws: Drawer Rails through 8mm spacer</b> (packs per 100)</p> <p><b>Use:-</b> Drawer Rails</p>	Zinc	S620
	<p><b>Silent Bumper (100 per sheet)</b></p> <p><b>Use:</b> Fix to door as soft buffer.</p>	Clear	B200


Component	Description & Use	Colour Finish	Code
	<p><b>Corner block</b></p> <p><b>Use:</b> For connecting shelving and some panel components</p>	White	CBL44




Component	Description & Use	Colour Finish	Code
	<b>Ceiling Bracket Duralite®</b> <b>Use:</b> Anchor to hold ceiling base P469 in place	Stainless Steel	<b>B881</b>
	<b>Corner Clip HM Template</b> <b>Use:</b> Attach at base on corner for P336 to fit neatly on corners		<b>C642</b>
	<b>Cable Tube (10mtr pack)</b> <b>Use:</b> To provide conduit for 12volt wiring through VHD poly in composite panel	Green	<b>C500</b>







	<b>Hollow wall anchor plus screw</b> For drawer fronts and spring lifters on overhead cupboards		<b>HWA-M4</b>
---	--	--	---------------





	Cup hinge with mount - 110 full overlay Cup hinge with mount - 110 half overlay		<b>CH107</b> <b>CH102</b>
--	--	--	------------------------------


Component	Description & Use	Qty per set	Code
	<b>Door Hinge Duralite® (H202)</b> Nickel – silver colour only <b>Use:</b> Doors and cupboards	1 x Hinge 1 x Base plate	<b>H202</b>
	<b>Hinge Base Plate Duralite®</b> <b>Use:</b> Anchor for S510 screws hinges in panel		


Component	Description & Us	Colour Finish	Code
	<b>Ali Rail – 2.4m lengths</b> <b>Use:</b> For top cabinet rail and drawer catches	Aluminium	<b>DRLB2.4</b>

Component	Description & Use	Qty per set	Code
	<b>Spring Lift up sml (GSTY)</b> <b>Use:</b> For lift up cupboard doors		
	<b>Catch Block Duralite® (B102)</b> <b>Use:</b> To support the utility plate bracket	1 x spring lift up 1 x Catch block 1 x Utility plate	
	<b>Utility Plate Bracket Duralite® (U456)</b> <b>Use:</b> Fixes to catch block and can support the spring lift up stay		

Component	Description & Use	Qty per set	Code
	<b>Single</b> <b>Push lock 19mm (L161)</b> <b>Use:</b> Lock for cupboards and drawers.		
	<b>Push Lock Button (L190)</b> <b>Use:</b> Opener for Push Lock L161	1 x push lock 1 x push lock button	
	<b>Push Lock Rosette (L191)</b> <b>Use:</b> Trim for Push Lock Button L190	1 x push lock rosette	
	<b>Catch Block Duralite® (B102)</b> <b>Use:</b> To support the catch plate for push lock.	1 x catch block	
	<b>Catch Plate (C751)</b> <b>Use:</b> Door lock catch in cupboards and drawers	1 x catch plate	
	<b>Double</b> <b>Double sided Pushlock (L161DLW)</b> <b>Use:</b> For shower door  *Other components to the double set are the same as for the single set, with a slight variance in quantity of some of the componentry.	1 x dbl push lock 2 x push lock button 1 x push lock rosette 1 x catch block 1 x catch plate	

Component	Description & Use	Colour Finish	Code
	Hollow wall anchor setting tool		HWA-TG
	<b>Tamper Block Duralite®</b> <b>Use:</b> Wooden knock in used to knock P336 into P469		TB456
	<b>Jig Drilling Guide Duralite®</b> <b>Use:</b> Template for drilling holes for hinge base plate H100		JD630
	<b>Scribing Tool Duralite®</b> <b>Use:</b> Marking out shape on P336 for internal corner		SC001

Component	Description & Use	Colour Finish	Code
	<b>Techni Seal Silicone Sealant 300 ml cartridge</b> <b>Use:</b> Filler to match Duralite® décor trim	Tan White	TS32

Component	Description & Use	Colour Finish	Code
	<b>*Simson Adhesive (white) Cartridge 290ml</b> <b>Use:</b> Contact adhesive for joining and securing Duralite® components. For gluing thin sheets to walls and ceiling	White	S703

	<b>*Duralite® System Manual (CD only)</b>		MAN101CD
--	---	--	----------

### Duralite® Modular Systems

Phone: 07 868 8813 NZ

Phone 041 887 6625 AUST

Email: [info@duralitesystems.co.nz](mailto:info@duralitesystems.co.nz)

[info@duralitesystems.com.au](mailto:info@duralitesystems.com.au)

New Zealand Patent No. 542756

International Patent No. PCT/NZ2006/000011

Australian Patent Application No. 2006295511

